

# Rainhead Specification Sheet

MUST BE COMPLETED AND ATTACHED TO JOB CARD FOR EVERY RAINHEAD ORDERED  
(ALL RAINHEADS ARE SHOWN WITH A FLAT BACK)

ROUND		CURVED	BOX	TAPERED	SEGMENTED
<p><b>HALF ROUND (HR)</b></p> <p>H = 0.5L</p>	<p><b>U-SHAPE (US)</b></p> <p>D = 0.5L</p>	<p><b>CONICAL (CL)</b></p>	<p><b>FLAT BOTTOM (FB)</b></p>	<p><b>TAPERED (TA)</b></p>	<p><b>COLONIAL (CO)</b></p> <p>d = 0.5 D UNLESS SPECIFIED OTHERWISE</p>
<p><b>CONCAVE (CV)</b></p>	<p><b>CONVEX (CX)</b></p>	<p><b>NED KELLY (NK)</b></p>	<p><b>TRIANGULAR (TR)</b></p>	<p><b>SUMPS</b></p> <p><b>SQUARE</b></p>	

**ORDER/PRODUCTION DETAILS**

Rainhead Style  Material  Length (L)  Width (W)  Depth (D)

**OUTLET SIZE AND STYLE**

MUST BE SPECIFIED AT TIME OF ORDER

NA  REQUIRED

SPECIFY: ..... mm  
SHAPE AND DIMENSIONS

LOCATION: ..... mm


DISTANCE FROM BACK FACE OF RAINHEAD TO CENTRE OF OUTLET (TO BE ON CENTRE AXIS FROM FRONT TO BACK UNLESS SPECIFIED OTHERWISE)

\*Please mark outlet location ( X )

LOCATION: ..... mm

DISTANCE FROM TOP OF RAINHEAD TO CENTRE OF OVERFLOW (TO BE ON CENTRE AXIS FROM TOP TO BOTTOM UNLESS SPECIFIED OTHERWISE)

WALL		
1	2	3
4	5	6
7	8	9



Special Details - IE Bead size, Overflow Details ect.